



COLORBODY™ PORCELAIN ····· PORCEALTO™



daltile®

COLORBODY™ PORCELAIN | PORCEALTO™



floor • wall • countertop

Nothing is more inspiring than running warm sand through your fingers - and such organic beauty was the inspiration behind the Porcealto collection. With earthen textures, whether fine or coarse, solid or smooth - Porcealto never fails to provide an added depth to your space.



Photo features Porcelto in Azzurite 4" x 4" and Bianco Ghiaccio 12" x 12" on wall.
Floor features Azzurite and Bianco Ghiaccio 12" x 12" and Urban Metals 2" x 12" Spiral Deco in Bronze.

Graniti Series (Fine Grain) – Price Group 1



DUNA DI SABBIA
CD98 (I)



BEIGE
CD31* (I)



FUORI DI BIANCO
CD39 (I)



BIANCO ALPI
CD05* (I)



MANDORLA CON SPEZIA
CD78 (I)



PEPE GRIGIO
CD41* (I)




GRIGIO GRANITE
CD40 (I)



ROSA ANTICO
CD56 (I)



MARRONE CANNELLA
CD77 (I)




GRIGIO SCURO
CD42* (I)



VERDE LAGO
CD46 SP(I)



VERDE ALGHERO
CD07 (I)



LABRADORITE
CD49 (I)



CADET GRAY
CD38 (I)




NERO MACCHIATO
CD37 (I)

* A grid (skid-resistant) surface finish is available by Special Order in 8" x 8" only in select colors.

Solids – Price Groups 2-4




WHITE
CD01 (2)



BIANCO GHIACCIO
CD28 (2)



DESERT GRAY
CD04 (2)



SUEDE GRAY
CD19 (2)



UPTOWN TAUPE
CD02 (2)



ARTISAN BROWN
CD20 (3)



CITYLINE KOHL
CD21 (3)




OSSIDIANA
CD85 (2)



GARDEN SPOT
CD25 (3)



AEGEAN
CD47 (4)



AZZURITE
CD83 (2)



GALAXY
CD48 (4)



GOLD COAST
CD03 (2)



CINNAMON RANGE
CD24 (3)

Grani Series (Large Grain) – Price Groups 2-3



BIANCO CASTIGLIA
CD54 (2)



BIANCO APUANIA
CD52 (2)



SABBIA VERSILIA
CD61 SP(2)



GRIGIO ELBA
CD60 (2)



PASTELLO DI
LAMPEDUSA CD65 (2)



ROSA BAVENO
CD69 (2)

(1), (2), (3) and (4) indicate Price Group,
(1) being the least expensive.

SP = Denotes Special Order

See chart for size and surface availability.



Photo features Porcelto in Azzurite 4" x 4" and Bianco Ghiaccio 12" x 12" on wall.
Floor features Azzurite and Bianco Ghiaccio 12" x 12" and Urban Metals 2" x 12" Spiral Deco in Bronze.

COLORBODY™ PORCELAIN | PORCEALTO™

SOLIDS & GRANI

STOCKED SIZES

NOMINAL	ACTUAL	SQ.FT. CARTON	PIECES PER CARTON
12" x 12" Field Tile (Unpolished)	11-13/16" x 11-13/16" (30.0 cm x 30.0 cm)	15.00	15
4" x 4" Field Tile* (Unpolished)	3-15/16" x 3-15/16" (10.0 cm x 10.0 cm)	9.47	88

*Solids only, except not available in CD28 Bianco Ghiaccio.

SPECIAL ORDER SIZES**

NOMINAL	ACTUAL	SQ.FT. CARTON	PIECES PER CARTON
12" x 12" Field Tile (Polished/Rectified)	11-13/16" x 11-13/16" (30.0 cm x 30.0 cm)	15.00	15

**Not available in CD01 White.

GRANITI

SIZES

NOMINAL	ACTUAL	SQ.FT. CARTON	PIECES PER CARTON
12" x 12" Field Tile	11-13/16" x 11-13/16" (30.0 cm x 30.0 cm)	15.00	15
8" x 8" Field Tile	7-13/16" x 7-13/16" (18.3 cm x 18.3 cm)	13.30	30

RESIDENTIAL

RESIDENTIAL USAGE

FLOOR	WALL	COUNTERTOPS	EXTERIOR PATIOS***	EXTERIOR POOL DECKS▲
F	W	C	EP	ED

***Unpolished and textured surfaces only.
▲ Textured surface only.

COMMERCIAL

COMMERCIAL APPLICATION

	LIGHT COMMERCIAL	COMMERCIAL	COMMERCIAL EXTERIORS
Floors▼	◆	◆	◆†
Walls/Backsplashes	◆	◆	◆
Counters	◆	◆	◆
Pool Decking †	◆	◆	◆
Pool Linings	◆	◆	◆

Suitable for exterior patios (unpolished and textured only) and pool decks (textured only) in freezing and non-freezing climates when proper installation methods are followed. All surfaces suitable for exterior walls in freezing and non-freezing climates when proper installation methods are followed.

▼ Unpolished and textured surfaces only.
† Textured surface only.

SHADE VARIATION



MEDIUM (V2)
Color variation within each tile. (Grani & Graniti)



LOW (V1)
Monochromatic consistent color within each tile, and from tile to tile. (Solids)

INSTALLATION

THICKNESS	GROUT JOINT RECOMMENDATION
5/16"	1/4"

SLIP RESISTANCE (WET) : 3

The higher the rating, the higher the slip resistance.

1 < .50

2 .50 - .59

3 ≥ .60

TEST RESULTS



When ordered with Unpolished or Textured surfaces only.

	ASTM#	RESULTS
Water Absorption (Grani/Solids/Graniti)	C373	Unpolished < 0.5%
		Polished < 0.5%
		Textured < 0.5%
Breaking Strength (Grani)	C648	Unpolished > 504 lbs
		Polished > 497 lbs
Breaking Strength (Solids/Graniti)	C648	Unpolished > 478 lbs
		Polished > 497 lbs
		Textured > 520 lbs
Scratch Hardness (Grani)	MOHS	Unpolished 7.5
		Polished 7.5
Scratch Hardness (Solids/Graniti)	MOHS	Unpolished 7.5
		Polished 7.5
		Textured 8.0
Chemical Resistance (Grani/Solids/Graniti)	C650	Unpolished Resistant
		Polished Resistant
		Textured Resistant
Coefficient of Friction (Grani)	C1028	Unpolished Wet: ≥ 0.60 Dry: ≥ 0.71
		Polished Wet: ≥ 0.50 Dry: ≥ 0.93
Coefficient of Friction (Solids/Graniti)	C1028	Unpolished Wet: ≥ 0.60 Dry: ≥ 0.88
		Polished Wet: ≥ 0.50 Dry: ≥ 0.94
		Textured Wet: ≥ 0.60 Dry: ≥ 0.82

NOTES

Special care should be taken when grouting with dark pigmented colors. A grout release is recommended to prevent finely powdered pigments from lodging in the pores of the surface. Use of a latex modified thin-set is recommended for installation.

Since there are variations in all fired ceramic products, the tile and trim supplied for your particular installation may not match these samples. Final color selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions. Manufactured in accordance with ANSI A137.1 standards.

For additional information refer to "Factors to Consider" at: www.daltile.com/CommercialFactors

Water, oil, grease etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps.

SOLID SERIES - COLORS			
	4" x 4" Unpolished	12" x 12" Unpolished	12" x 12" Polished
CD01	STK	STK	N/A
CD02	STK	STK	SP
CD03	STK	STK	SP
CD04	STK	STK	SP
CD19	STK	STK	SP
CD20	STK	STK	SP
CD21	STK	STK	SP
CD24	STK	STK	SP
CD25	STK	STK	SP
CD28	N/A	STK	SP
CD47	STK	STK	SP
CD48	STK	STK	SP
CD83	STK	STK	SP
CD85	STK	STK	SP

SOLID SERIES - TRIM						
	S4449 4" x 4" SBN	SCRL4449 4" x 4" Corner	S36C9T 6" x 12" CV BS	SC3689T 1" x 6" CV Out	S44C9 4" x 12" SBN	12" x 12" Stair Tread
CD01	SP	SP	STK	STK	STK	N/A
CD02	SP	SP	STK	STK	STK	N/A
CD03	SP	SP	STK	STK	STK	N/A
CD04	SP	SP	STK	STK	STK	N/A
CD19	SP	SP	STK	STK	STK	N/A
CD20	SP	SP	STK	STK	STK	N/A
CD21	SP	SP	STK	STK	STK	N/A
CD24	SP	SP	STK	STK	STK	N/A
CD25	SP	SP	STK	STK	STK	N/A
CD28*	N/A	N/A	STK	STK	STK	N/A
CD47	SP	SP	STK	STK	STK	N/A
CD48	SP	SP	STK	STK	STK	N/A
CD83	SP	SP	STK	STK	STK	N/A
CD85	SP	SP	STK	STK	STK	N/A

*1" x 6" Cove Corner is SC-36C9T.

GRANI SERIES - (LARGE GRAIN) COLORS			
	4" x 4" Unpolished	12" x 12" Unpolished	12" x 12" Polished
CD52	N/A	STK	STK
CD54	N/A	STK	STK
CD60	N/A	STK	STK
CD61	N/A	SP	SP
CD65	N/A	STK	STK
CD69	N/A	SP	SP

GRANI SERIES - (LARGE GRAIN) TRIM					
	S3689T 6" x 8" CV BS	SB3689T 1" x 6" CV In	SC3689T 1" x 6" CV Out	S44C9 4" x 12" SBN	12" x 12" Stair Tread
CD52	STK	STK	STK	STK	SP
CD54	STK	STK	STK	STK	SP
CD60	STK	STK	STK	STK	SP
CD61	N/A	N/A	N/A	SP	SP
CD65	STK	STK	STK	STK	SP
CD69	N/A	N/A	N/A	SP	SP

GRANITI SERIES - (FINE GRAIN) COLORS					
	8" x 8" Unpolished	8" x 8" Textured	12" x 12" Unpolished	12" x 12" Polished	12" x 12" Textured
CD05	STK	SP	STK	STK	STK
CD07	STK	N/A	STK	SP	N/A
CD31	STK	SP	STK	STK	STK
CD37	STK	N/A	STK	STK	N/A
CD38	STK	N/A	STK	STK	N/A
CD39	STK	N/A	STK	STK	N/A
CD40	STK	N/A	STK	STK	STK
CD41	STK	SP	STK	STK	STK
CD42	STK	SP	STK	STK	SP
CD46	N/A	N/A	SP	SP	N/A
CD49	STK	N/A	STK	SP	N/A
CD56	STK	N/A	STK	STK	N/A
CD77	STK	N/A	STK	SP	N/A
CD78	STK	N/A	STK	SP	N/A
CD98	STK	N/A	STK	STK	N/A

GRANITI SERIES - (FINE GRAIN) TRIM								
	S4489 4" x 8" SBN	SCR4489 SCL4489 4" x 8"	S3689T 6" x 8" CV BS	SB3689T 1" x 6" CV In	SC3689T 1" x 6" CV Out	S44C9 4" x 12" SBN	12" x 12" Stair Tread	8" x 8" Grid
CD05	STK	STK	STK	STK	STK	STK	SP	SP
CD07	STK	STK	STK	STK	STK	STK	SP	N/A
CD31	STK	STK	STK	STK	STK	STK	SP	SP
CD37	STK	STK	STK	STK	STK	STK	N/A	N/A
CD38	STK	STK	STK	STK	STK	STK	N/A	N/A
CD39	STK	STK	STK	STK	STK	STK	N/A	N/A
CD40	STK	STK	STK	STK	STK	STK	SP	N/A
CD41	STK	STK	STK	STK	STK	STK	SP	SP
CD42	STK	STK	STK	STK	STK	STK	SP	SP
CD46	N/A	N/A	N/A	N/A	N/A	SP	SP	N/A
CD49	STK	STK	STK	STK	STK	STK	SP	N/A
CD56	STK	STK	STK	STK	STK	STK	SP	N/A
CD77	STK	STK	STK	STK	STK	STK	N/A	N/A
CD78	STK	STK	STK	STK	STK	STK	N/A	N/A
CD98	N/A	N/A	STK	STK	STK	STK	N/A	N/A

STK- Stocked SP- Special Order N/A- Not Available



Photo features Porcelto in Azzurite 4" x 4" and Bianco Ghiaccio 12" x 12" on wall.
Floor features Azzurite and Bianco Ghiaccio 12" x 12" and Urban Metals 2" x 12" Spiral Deco in Bronze.

COLORBODY™ PORCELAIN | PORCEALTO™



floor • wall • countertop



daltile
greenworks™
ENVIRONMENTAL LEADERSHIP THAT WORKS

By their very design, Daltile products can help make it easier for you to earn LEED™ points and/or points towards many industry leading green home building programs. From using recycled material content to establishing manufacturing facilities within 500 miles of your project, we help ensure you don't have to compromise your design to be environmentally conscious. For detailed information, visit daltilegreenworks.com.



RECYCLED MATERIALS



EXTERIOR PRODUCT



Mixed Sources
Product group from well-managed forests and other controlled sources
www.fsc.org Cert no. SW-COC-001883
© 1996 Forest Stewardship Council



daltile®

7834 C. F. Hawn Freeway | Dallas, TX 75217 | 214.398.1411 800.933.TILE

For more information about Daltile products and services, visit our website at daltileproducts.com

Printed using soy inks.

©2009 DalTile Corporation (11/09) SSDTPORCE09